

From:

Sent:

2/13/2012 12:36:46 PM

**Ex. 4 - CBI**

To:

Colleen Walling

CC:

Subject:

Fw: 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater

**Ex. 4 - CBI**

ESAT Region 3 Program Manager  
Lockheed Martin IS&GS - Civil  
Energy & Environment  
US EPA Environmental Science Center  
701 Mapes Road  
Ft. Meade, MD 20755-5350

**Ex. 4 - CBI**

-----Forwarded by **Ex. 4 - CBI** on 02/13/2012 12:36PM -----

To: Richard Fetzer/R3/USEPA/US@EPA

From: **Ex. 4 - CBI**

Date: 02/07/2012 12:23PM

Cc: **Ex. 4 - CBI** gnance@techlawinc.com

Subject: 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater

Jill Lowe

US EPA Region 3

1650 Arch Street

Philadelphia, PA 19103-2029

Dear Jill,

Attached to this message you will find electronic files containing the validation report and validated organic data for the Dimock Residential Groundwater site, Case # 180-2644-01, 4 samples. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Colleen Walling by phone at 410-305-2763 or e-mail at Walling.Colleen@epa.gov if additional assistance is needed.

TO # 0037 TDF # 01079A

(See attached file: 180-2644-1\_Validated\_Metals\_DSF.xls)

(See attached file: 180-2644-01 (4).PDF)

Sincerely,

**Ex. 4 - CBI**

Lockheed Martin IS&GS - Civil  
Energy & Environment  
ESAT Region 3  
701 Mapes Road  
Ft. Meade, MD 20755-5350

**Ex. 4 - CBI**

[attachment "180-2644-1\_Validated\_Metals\_DSF.xls" removed by **Ex. 4 - CBI**]

[attachment "180-2644-01 (4).PDF" removed by **Ex. 4 - CBI**]